

Verzeichniss der Veröffentlichungen

In Vorbereitung

37. Heitbreder M, Joeren N., Dendoerfer A., Depping R., Wagner K.F., Dominiak P.(2005) Hypoxia-Inducible Transcription Factors (HIF): Up-Regulation of HIF-3 alpha by Hypoglycemia. Eingereicht.

Veröffentlicht oder "in press" als peer-reviewed Originalpublikation (IF=impact factor)

36. Iber Th., Weiss M., Wagner K.F., Leidinger W., Sehn N., Garling A., Klöss Th. (2006) Grundlagen der anästhesiologischen Personalbedarfsplanung im DRG-Zeitalter. **Anästh Intensivmed** 47:S25-S36, IF 0,3

35. Pagel H., Frackowski U., Wagner K.F. (2005) Nierenfunktion bei kongenitaler Erythrozytose. **Focus MUL**, 22, 67-73, IF 0,3

34. Depping R., Kawakami K., Ocker H., Wagner J.M., Heringlake M., Noetzold A., Sievers H.-H., Wagner K.F.(2005) Expression of the Erythropoietin Receptor in Human Heart: **J Thorac Cardio Sur** 2005;130:877-78, IF 3.319

33. Jelkmann W., Wagner K.F. (2004) Beneficial and ominous aspects of the pleiotropic action of erythropoietin. **Ann Hematol**, 83, 673-86, IF 1,241.

32. Briest W., Homagk L., Baba H.A., Deten A., Raßler B., Tannapfel A., Wagner K.F., Wenger R.H., Zimmer H.-G. (2004) Cardiac remodeling in erythropoietin transgenic mice. **Cell Physiol Biochem** 14, 277-84, IF 2,480.

31. Wagner K.F., Hellberg A.-K., Balenger S., Dodd-O J., Johns R.A., Li D.(2004) Hypoxia-Induced Mitogenic Factor has anti-apoptotic action and is up-regulated in the developing lung at late gestation: co-expression with HIF-2 α but not HIF-1 α . **Am J Resp Cell Mol Biol** 169, 829-35, IF 4.170

30. Depping R., Hägele S., Wagner K.F., Wiesner R., Camenisch G., Wenger R.H., Katschinski D.M. (2004) A Dominant-Negative Isoform of Hypoxia-Inducible Factor-1alpha]Is Specifically Expressed in Human Testis. **Biol Reprod** 71, 331-39. IF 3,646

29. Hasegawa J., Wagner K.F. (Co-Erstautorschaft Hasegawa u. Wagner), Karp D., Li D., Shibata J., Heringlake M., Bahlmann L., Depping R., Fandrey J., Schmucker P., Uhlig S. (2004) Altered pulmonary vascular reactivity in mice with excessive erythrocytosis. **Am J Resp Crit Care**, 169(7): 829-35. IF 6.567

28. Deten A., Shibata J., Scholz D., Briest W., Wagner K.F., Wenger R.H., Zimmer H.-G. (2004) Norepinephrine induces acute heart failure in transgenic mice overexpressing erythropoietin. **Cardiovasc Res**, 61:105-114. IF 4.692

27. Katschinski D.M., Marti H.H, Wagner K.F., Shibata J., Eckhardt K., Martin F., Depping R., Paasch U., Gassmann M., Ledermann B., Desbaillets I., Wenger R.H. (2003) Targeted disruption of the mouse PAS domain serine/threonine kinase PASKIN. **Mol Cell Biol**, 23:6780–6789. IF 9,866

26. Shibata J., Hasegawa J., Siemens H.J., Wolber E., Dibbelt L., Li D., Katschinski D.M., Fandrey J., Jelkmann W., Gassmann G., Wenger R.H., Wagner K.F. (2003). Hemostasis and coagulation at a hematocrit of 0.85: functional consequences of erythrocytosis. **Blood**, 101:4416-4422, IF 9,273

25. Bahlmann L, Wagner K., Heringlake M, Wirtz C, Futterer T, Schmucker P, Klaus S. (2002). Subcutaneous microdialysis for metabolic monitoring in abdominal aortic surgery. **J Clin Monit Comput** 17:309-12

24. Bahlmann L., Klaus S., Heringlake M., Baumeier W., Schmucker P., Wagner K.F. (2002) Rescue of a patient out of a grain container: the quicksand effect of grain. **Resuscitation** 53:1 101-4, IF=1.760

23. Siemens, H.-J. G., Gerke P., Steinhoff P., Roth-Isigkeit A., Wagner K., Brückner S. (2002) A prolonged activated partial thromboplastin time in a patient with a low grade malignant non-Hodgkin's lymphoma - a case report. **Haematologica**. 87:ELT08

22. Katschinski D.M., Le L., Heinrich D., Wagner K.F., Hofer T., Schindler S.G. and Wenger R.H. (2002) Stabilization of the hypoxia-inducible factor-1 α by elevated temperatures. **J Biol Chem** 277: 9262-7, IF=7.368

21. Scheid A., Wenger R.H., Schäffer L., Camenisch G., Distler O., Ferenc A., Cristina H., Ryan H.E., Johnson R.S., Wagner K.F., Stauffer U.G., Bauer C., Gassmann M. and Meuli M. (2002) Physiologically low oxygen concentrations determined in fetal skin regulate hypoxia-inducible factor-1 and transforming growth factor- β 3. **FASEB J** 16:3 411-3. IF=9.249
20. Marti H.H., Katschinski D.M., Wagner K.F., Schäffer L., Stier B. and Wenger R.H. (2002) Isoform-specific expression of hypoxia-inducible factor-1 α during the late stages of mouse spermiogenesis. **Mol Endocrinol** 16: 234-243. IF=6.251
19. Heringlake M., Gosch U., Wagner K.F., Pagel H., Klotz K. (2001) Effects of hyperbaric oxygenation on mortality of murine polymicrobial sepsis. **Eur J Underwater Hyperbaric Med** 2:103-106
18. Wagner K.F., Katschinski D.M., Hasegawa J., Schumacher D., Meller B., Gembruch U., Schramm U., Jelkmann W., Gassmann M., Fandrey J. (2001) Chronic inborn erythrocytosis leads to cardiac dysfunction and premature death in mice overexpressing erythropoietin. **Blood** 97:536-542. IF=8.977
17. Heringlake M., Bahlmann L., Klaus S., Wagner K.F., Schmucker P., Pagel H. (2001) Effects of angiotensin II and the AT₁ receptor antagonist Losartan on the renal excretion of urodilatin. **Kidney Blood Press Res** 24, 79-83. IF= 1.378
16. Ruschitzka F.T., Wenger R.H., Stallmach T., Quaschnig T., de Wit C., Wagner K.F., Labugger R., Kelm M., Noll G., Rüllicke T., Shaw S., Lindberg R.L.P., Rodenwaldt B., Lutz H., Bauer C., Lüscher T.F. and Gassmann M. (2000) Nitric oxide maintains cardiovascular function and determines survival in polyglobulic mice overexpressing erythropoietin. **Proc. Natl. Acad. Sci. USA** 21, 11609-11613. IF=10.789
15. Bahlmann L., Pagel H., Klaus S., Heringlake M., Schmucker P., Wagner K.F. (2000) Pentoxifylline improves outcome after cardiopulmonary resuscitation. **Resuscitation** 47, 191-194. IF=1.760
14. Heringlake M., Wagner K., Schumacher J., Pagel H. (1999) Urinary excretion of urodilatin is increased during pressure natriuresis in the isolated perfused rat kidney. **Am J Physiol** 277, F347-F351. IF= 4.129
13. Wagner K., Schäfer R., Roth-Isigkeit A., Klotz K.F., Friedrich H.J., Schmucker P. (1999) Norepinephrin vs nitric oxide synthase inhibition in endotoxemia. **Adv Exp Biol Med** 471, 469-479. IF=0.513
12. Schumacher J., Engelke A., Wagner K., Eichler W., Markert U., Klotz K.F. (1999) Measurement of peripheral tissue thickness by ultrasound during the perioperative period. **Br J Anaesth** 82, 641-43. IF=1.989
11. Heringlake M., Wagner K., Schumacher J., Schmucker P., Pagel H. (1998) Der Einfluß von Aldosteron und Angiotensin II auf die diuretische Wirkung atrialen natriuretischen Peptids (ANP). **Nieren Hochdruck** 12, 533-538. IF=0.123
10. Roth-Isigkeit A., Schwarzenberger J., von Borstel T., Gehring H., Ocklitz E., Wagner K., Schmucker P., Seyfarth M. (1998) Perioperative cytokine-release during coronary artery bypass grafting in patients at different stages of age. **Clin Exp Immunol** 114, 26-32. IF= 2.544
9. Wagner K., Schell J., Schmucker P. (1998) Therapie des akuten Bronchospasmus im OP? **Anaesthesist** 47, 1004-1005. IF=0.829
8. Wagner K., Kampen E. (1997) Computer gestützte ICD 10 Codierung für niedergelassene Ärzte. **Orthop Prax** 33, 49-52.
7. Wagner K., Schäfer R., Gerling W., Börner D., Michelsen A., Schmucker P. (1996) Comparison between conventional hemodynamic monitoring and polarographic tissue pO₂-monitoring of the liver in the early sepsis of the pig. **Adv Exp Med Biol** 388, 85-92. IF=0.513
6. Pohl U., Wagner K., De Wit C. (1993) Endothelium-derived nitric oxide in the control of tissue perfusion and oxygen supply: physiological and pathophysiological implications. **Eur Heart J** 14 Suppl I, 93-98. IF= 3.840
5. Wagner K., Noah E., Perner R., Bruch H.P. Weiss C. (1992) Amputationshöhenbestimmung durch präoperative Gewebe-pO₂-Messung. **Focus MUL** 9, 233-237.

4. Wagner K., Krüger U., Schäfer R., Albrecht M., Hohlbach G. (1992) Changes of tissue pO₂ in the lower leg muscles after vascular surgery. **Adv Exp Med Biol** 317, 885-892. IF=0.513
3. Wagner K., Noah E., Perner R., Busse F.W., Bruch H.P. (1992) Preoperative Gastrocnemius muscle pO₂ as predictor of healing after below knee amputation. **Adv Exp Med Biol** 317, 879-884. IF=0.513
2. Wagner K., Steppan B. (1992) A new program to evaluate data of a pO₂-histograph on personal computers under MS-DOS. **Adv Exp Med Biol** 317, 645-648. IF=0.513
1. Wagner K., Bossen W., Schramm U. (1992) Tissue alterations by the penetration of a pO₂ sensing needle probe. **Adv Exp Med Biol** 317, 639-644. IF=0.513

Impact Faktoren (IF)

| <u>Journal</u> | Number of Publications | IF of the Journal | Sum of IF |
|-------------------------|------------------------|-------------------|-----------|
| Adv Exp Med Biol | 7 | 0.513 | 3.591 |
| Eur Heart J | 1 | 3.840 | 3.840 |
| Anaesthesist | 1 | 0.829 | 0.829 |
| AnästH Intensivmed | 1 | 0.300 | 0.300 |
| Clin Exp Immunol | 1 | 2.544 | 2.544 |
| Br J Anaesth | 1 | 1.989 | 1.989 |
| Am J Physiol | 1 | 4.129 | 4.129 |
| Resuscitation | 2 | 1.760 | 3.520 |
| PNAS | 1 | 10.789 | 10.789 |
| Blood | 2 | 9.273 | 18.546 |
| Kidney Blood Press Res | 1 | 1.378 | 1.378 |
| Mol Endocrinol | 1 | 6.251 | 6.251 |
| Mol Cell Biol | 1 | 8,849 | 8,849 |
| FASEB J | 1 | 9.249 | 9.249 |
| Focus MUL | 1 | 0.300 | 0.300 |
| J Biol Chem | 1 | 7.368 | 7.368 |
| Cardiovasc Res, | 1 | 4.692 | 4.692 |
| Am J Resp Crit Care | 1 | 6.567 | 6.567 |
| Biol Reprod | 1 | 3,646 | 3,646 |
| Am J Resp Cell Mol Biol | 1 | 4.170 | 4.170 |
| Cell Physiol Biochem | 1 | 2,480 | 2,480 |
| Ann Hematol | 1 | 1,241 | 1.241 |
| J Thorac Cardio Sur. | 1 | 3.319 | 3.319 |
| Summe Impact Faktoren | | | 108.759 |

108.759